


Reinforcement net for turf

"Grass Protection Mat" that can protect your nature grass from getting damaged by golfers' intensive walking on grass areas.

Mat is not an ordinary protection mat but:


- Aesthetically designed with very natural grass-like look
- Long lasting effect of grass protection (5~10 years)
- Saves cost, labor and time in changing the damage grass
- Simple installation method




Note of caution

- The area of installing the mat **must be as much level as possible** so that the mat can be stick to the surface of the soil.
- Places such as the area that is chronically filled with water because of a bad drainage system and the area that keeps providing shades due to enormously huge trees, can not bring positive effects on the mat simply because grass can not grow well enough.
- Make sure that the mat we are providing **must be used after replanting fully grown grass** and sowing and spreading seeds of grass must be avoided because sinking soils can be drastically developed and the function of grass protection mat can be lost.
- Make sure that installing the mat in the areas where **heavy transportation vehicles such as huge carts are passing by everyday must be avoided** because process of sinking soils can highly increase from the surface of the soil, therefore the function of grass protection can easily decrease.
- Installing the mat properly towards walking direction can increase the life span of the mat.
- Make sure that **the mat must be installed a week later after replanting fully grown grass** into the area because taking a week off can possibly firm the soil for the grass to root deep inside.
- Make sure that **keeping people from walking by the area for about 7 to 15days** after installing the mat must be carried out in order for the grass to root deep inside the soil with mat.

Tools for installation

			
Work Gloves	Shears	Hammer	Pin & Peg

Installation Direction




Correct Direction Incorrect Direction

Assembly Method



Assembly
Peg Pin

Movement line direction



A. Correct B. Incorrect



Installation process



1 Place a rolled mat on a standard line.




2 Spread the mat along walking direction




3 Reassemble the mat if it is not placed along walking direction.



4 Distance 5cm to 10cm from the road to make pins easy to fix, (No grass damage)



5 Order of fixing pins and pegs on mats.



6 Pins are fixed on one edge and the other first as a standard point.



7 The mats should be pulled in every directions to make them flat to not be lifted.



8 Pins are fixed on the opposite edge of the mat.



9 Pins are fixed on each side of the mat.



10 Pins are fixed on the rest points of the mat.



11 Pegs are fixed on the right middle of the mat.



12 Pegs should be well inserted inside the four holes in the middle of the mat.



13 Additional pins are fixed if any sides of the mat are lifted.



14 Our mat is completely installed.

We remain at your disposal for any information
Best regards,

Global Market Sàrl
www.globalmarket-fa.ch